


EVOLine®

the e-place design





EVOline® FlipTop






The principle.

Timeless design in solid
Stainless Steel.
International modules
power, data and multimedia,

freely customisable.
Connection opening
alternative as a brush
against dust or as

a rubber lip against moisture
(as EVOLine® FlipTop
Cuisine).



FlipTop Data
with brush

FlipTop Cuisine
with rubber lip

FlipTop SMALL
Mounting dimensions:
A = L x W 185 mm 157 mm
B = max. 19-35 mm

FlipTop MEDIUM
Mounting dimensions:
A = L x W 235 mm 157 mm
B = max. 19-50 mm

FlipTop LARGE
Mounting dimensions:
A = L x W 335 mm 157 mm
B = max. 19-50 mm

EVoline® FlipTop

Closing resistance of the cover adjustable.

Retrofit installation at any time.

Installation flush with the desktop.

The smart alternative for offices, kitchens and hotels.



Surface variations



Stainless Steel



Chrome



Anthracite



Grey



White

EVoline® FlipTop Individual

Just choose the modules and the configuration!

With the modular design of EVoline® FlipTop you have the opportunity to customise your model the way you wish.

How to order

Page 160 - 161



Socket modules

Page 200 - 219



Data modules

Page 222 - 239



Multimedia modules

Page 240 - 255



Pushbutton and switch modules

Page 256 - 261

1

**Selection
EVOLine®
FlipTop**
Page 163



**Empty profile EVOLine® FlipTop
LARGE**
Stainless Steel, Chrome-plated

Order number:
9330 6300 0000


Choose the cable,
brushes or rubber seal

2

**Selection
EVOLine®
modules**
Page 201 - 271



2 x Plug
Order number:
9330 1050 0000




**Combination
modules
Pushbutton,
one audio out**
Order number:
9331 0480 0000



VGA modules
Order number:
9330 2370 0000



HDMI modules
Order number:
9330 6090 0000



**Data modules
CAT 6**
Order number:
9330 3920 0000

3

**Selection
EVOLine®
Supply Cable**
Page 220 - 221



Supply Cable
Order number:
9330 2020 0000

All cable lengths are measured from the connection point and mounting position of the modules in the profile.

**Please note for
module selection:**

**the profile number determines
the permissible combination of
modules and profiles.**


EVOLine® Profil type	No.
EVOLine® Dock	1
EVOLine® U-Dock	2
EVOLine® Port	3
EVOLine® Port Lounge	4
EVOLine® Vertical	5
EVOLine® SubDesk	6
EVOLine® Caddy	7
EVOLine® FlipTop	8
EVOLine® V-Dock	9

4

Your
EVOLine®
FlipTop
Individual

5

Selection
EVOLine®
accessories
Page 281 - 287



EVOLine®
Cable-
Management
to protect
your cable
distribution
Page 272- 279






Ordering information:

After receiving your order a product drawing will be sent to you, that you release with your signature, thus avoiding wrong orders.

Our general conditions of sale apply for all orders.
www.schulte.com

Subject to technical changes.

The goods are not marked with EAN-codes.
If required, please order separately.

Article	Picture	Specification	Type
<p>EVoline® FlipTop CUISINE SMALL for installation in countertops from 19 mm to 50 mm thick, four sockets, 60°, 16 A, with contact protection of Germany, Austria 2) 2.5 m supply cable plug supplied loose, hinged lid with end stop and rest stop Black rubber lip, Installation dimension: 235 x 157 mm</p>		Housing and cover made of brushed Stainless Steel **	1593 4200 0100
<p>EVoline® FlipTop DATA MEDIUM for installation in countertop from 19 mm to 50 mm thick, three sockets, 60°, 16 A, with contact protection of Germany, Austria 2) 3 m supply cable with plug, two modular couplings for patch cable RJ45 to RJ45, 1:1 interconnected CAT6 shielded cable. Hinged lid with end stop and rest stop, Black brush strip Installation dimension: 235 x 157 mm</p>		Housing and cover made of brushed Stainless Steel **	1593 4200 0200
<p>EVoline® FlipTop MEDIUM for installation in countertops from 19 mm to 50 mm thick, four sockets, 60°, 16 A, with contact protection Germany, Austria 2) supply cable 3,0 m. Lid with foldable end stop and rest point, Black brush strip, Installation dimension: 235 x 157 mm</p>		Housing and cover made of brushed Stainless Steel **	1593 4200 2700
<p>EVoline® FlipTop CUISINE SMALL for installation in countertops from 19 mm to 35 mm thick, three sockets, 60°, 16 A, with contact protection of Germany, Austria 2) 2.5 m supply cable plug supplied loose, Hinged lid with end stop and ,stop, rubber lip Black, mounting dimension: 185 x 157 mm</p>		Housing and cover made of brushed Stainless Steel **	1593 4202 0700
<p>EVoline® FlipTop DATA SMALL for installation in countertops from 19 mm to 35 mm thick, two sockets, 60°, 16 A, with contact protection of Germany, Austria 2) supply cable 3.0 m two modular couplings for patch cable RJ 45 shielded RJ45, 1:1 interconnected, CAT6 Hinged lid with end stop and rest point, Black brush strip, Installation dimension: 185 x 157 mm</p>		Housing and cover made of brushed Stainless Steel **	1593 4202 8100

** Stock, short-term availability

2) Appropriate socket types for international requirements can be found on page 203

EVOLine® FlipTop Individual

Article	Picture	Specification	Type
---------	---------	---------------	------

Just combine the modules in the basic profile of your choice!
Thanks to the modular design of the EVOLine® FlipTop, you have the option to compile an individual model according to your wishes.

**For more information about
„How to order EVOLine®“
See pages 160 – 161**

**Empty housing EVOLine® FlipTop
SMALL*****
for installation in countertops from 19 mm to 35 mm thick, Hinged lid with end stop and rest point, Brush strip or rubber lip
Black,
Installation dimension: 185 x 157 mm



Housing and cover brushed Stainless Steel	9330 6370 0000
Housing and cover Stainless Steel, Chrome	9330 8520 0000
Housing and cover Stainless Steel, lacquered	9330 8530 0000

**Empty housing EVOLine® FlipTop
MEDIUM*****
for installation in countertops from 19 mm to 50 mm thick, Hinged lid with end stop and rest point, Brush strip or rubber lip
Black,
Installation dimension: 235 x 157 mm



Housing and cover brushed Stainless Steel	9330 5990 0000
Housing and cover Stainless Steel, Chrome	9330 6310 0000
Housing and cover Stainless Steel, lacquered	9330 8540 0000

**Empty housing EVOLine® FlipTop
LARGE*****
for installation in countertops from 19 mm to 50 mm thick, Hinged lid with end stop and rest point, Brush strip or rubber lip
Black,
Installation dimension: 335 x 157 mm



Housing and cover brushed Stainless Steel	9330 5980 0000
Housing and cover Stainless Steel, Chrome	9330 6300 0000
Housing and cover Stainless Steel, lacquered	9330 8550 0000

*** available on demand, please ask for delivery times

2) Appropriate socket types for international requirements can be found on page 203

Schulte Elektrotechnik
GmbH & Co. KG

Postfach 2732/2708
D-58477 Lüdenscheid

Jüngerstraße 21
D-58515 Lüdenscheid

Telefon +49 (0) 23 51 / 94 81-0
Telefax +49 (0) 23 51 / 4 26 58
E-mail info@schulte.com

www.schulte.com



www.schulte.com

6040 0510 1000